

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY.
WEEKLY MORTALITY TABLE, FOREIGN AND INSULAR CITIES.

Cities.	Week ended—	Estimated population.		ŀ	Deaths from—										
			Total deaths from all causes.	Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever,	Searlet fever.	Diphtheria.	Measles.	Whooping cough.	
Aberdeen Amoy. Assuncion Birmingham Bremen Amtwerp Athens Barcelona Barranquilla Batavia Basra Belgrade Do Belfast Beirut Bombay Bordeaux Baradiord Brussels Budapest Catania Do Chemnitz Ciudad Juarez Ciudad Porfirio Cologne Copenhagen Colombe Dublin Do Edinburgh Georgetown Erfurt Ghent Do Glasgow Gothenberg Guadalajara Liverpool Pulinmon	Aug. 5 July 15 July 22 Aug. 12 Aug. 19 Aug. 5 July 15 July 22 Aug. 12 Aug. 19 Aug. 12 July 29do July 28 Aug. 12do July 28 Aug. 12do Aug. 5 Aug. 12do Aug. 26 Aug. 12do Aug. 26 Aug. 12do Aug. 26 Aug. 12do Aug. 5do Aug. 5do Aug. 12do Aug. 13 Aug. 14 Aug. 15 Aug. 18 Aug. 19do Aug. 19do Aug. 12	163, 084 200, 000 75, 000 246, 850 577, 188 250, 010 217, 630 20, 000 90, 050 386, 449 80, 000 977, 822 253, 000 288, 723 739, 684 950, 610 220, 000 294, 930 6, 500 16, 000 520, 428 1, 000, 000 403, 974 403, 732 320, 829 315, 000 124, 084 165, 965 784, 655 168, 000 119, 468 747, 627 340, 007	34 6 20 249 110 137 93 62 210 20 25 552 121 226 110 1226 128 128 128 128 128 129 129 120 101 101 121 125 126 127 127 128 128 128 128 128 129 129 129 129 129 129 129 129 129 129	12 2 39 9 6 6 17 17 18 16 17 19 19 19 19 19 19 19 19 19 19 19 19 19	21	77 82 68		1 3 1 1 1 1 2 28	1 1 2	1 1 1 3 1 1 5 1 1 2 2 2 7 7 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	1	1	1 1 1 1 1 1 5	

MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (Untabulated).

Australia—Newcastle.—Month of June, 1911. Population, 65,500. Total number of deaths from all causes 50, including diphtheria 2, scarlet fever 1, tuberculosis 5.

Brazil—Bahia.—Month of April, 1911. Population, 286,000. Total number of deaths from all causes 441, including measles 1, plague 2, smallpox 1, tuberculosis 55, typhoid fever 3.

Ceara.—Month of June, 1911. Population, 55,000. Total number of deaths from all causes 134, including smallpox 1, tuberculosis 14, typhoid fever 9.

Pernambuco.—Two weeks ended June 30, 1911. Population, 210,000. Total number of deaths from all causes 462, including

plague 1, yellow fever 2, smallpox 118, tuberculosis 51, typhoid fever 1.

Canada—Vancouver.—Month of July, 1911. Population, 100,000. Total number of deaths from all causes 90, including diphtheria 4, tuberculosis 15.

CHILE—Punta Arenas.—Month of June, 1911. Population, 12,000. Total number of deaths from all causes 34, including smallpox 1, tuberculosis 3.

EGYPT—Alexandria.—Month of June, 1911. Population 420,000. Total number of deaths from all causes 1,195, including diphtheria 13, measles 4, plague 8, smallpox 4, typhoid fever 14, typhus fever 1.

France—Roubaix.—Month of July, 1911. Population 122,154. Total number of deaths from all causes 177, including tuberculosis 21.

St. Etienne.—Two weeks ended July 31, 1911. Population 150,000. Total number of deaths from all causes 132, including diphtheria 1, measles 2, scarlet fever 1, tuberculosis 19, typhoid fever 3.

GREAT BRITAIN.—Week ended August 12, 1911:

England.—The deaths registered in 77 great towns correspond to an annual rate of 18.6 per 1,000 of the population, which is estimated at 16,157,797.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 17.1 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Drogheda, viz, 4.2, and the highest at Kilkenny, viz, 39.7 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 14.4 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Edinburgh, viz, 12.2, and the highest at Greenock, viz, 21.5 per 1,000. The total number of deaths from all causes was 471, including diphtheria 5, measles 11, scarlet fever 1, typhoid fever 2.

ITALY—Messina.—Month of July, 1911. Population 93,672. Total number of deaths from all causes 146, including diphtheria 1, measles 2, cholera 2, tuberculosis 10, typhus fever 1.

Russia—Riga.—Month of May, 1911. Population 355,000. Total number of deaths from all causes 660, including diphtheria 6, measles 1, scarlet fever 11, smallpox 4, tuberculosis 109, typhoid fever 7.

Spain—Cadiz.—Month of July, 1911. Population 67,306. Total number of deaths from all causes 175, including tuberculosis 27, typhus fever 3.

Tasmania—Hobart.—Month of June, 1911. Population 184,586. Total number of deaths from all causes 254, including diphtheria 2, tuberculosis 7.

By authority of the Secretary of the Treasury:

Walter Wyman,
Surgeon General,
United States Public Health and Marine-Hospital Service.